

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

1. Identification

(a)Product identifier

Product name: Nickel metal hydride (NiMh) Battery

(b)Other means of identification

Product description: Model: SC3000mAh 1.2V

Nominal Voltage: 1.2V

Weight: 56.0g

Dimension: 22.5±0.5mmx42.0±0.5mm(DxH)

(c)Recommended use of the chemical and restrictions on use

Recommended use: Battery

Restriction on use: No information available

(d)Details of the supplier of the product

Company Wintonic Battery&magnet Company Limited

Address: #38,YunFeng Roda,XinHua industrial Zone,Huadu District,Guangzhou,China

E-mail: dqf5crystal@126.com

Telephone: +0086-20-36865508

(e) Emergency phone number

+0086-20-36865508

2. Hazard(s) identification

(a) Classification of the chemical

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured.The hazards indicated are for a ruptured battery.

Acute toxicity-Oral	Category 4
Skin corrosion/irritation	Category 2
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity(repeated exposure)	Category 1

(b)GHS Label elements,including precautionary statements

Emergency Overview

Signal word

Danger

Hazard Statements

Harmful if swallowed

Causes skin irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

Cause serious eye damage

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

May cause cancer

Causes damage to organs through prolonged or repeated exposure

This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance This is a battery.

In case of rupture:the above hazards exist.

Precautionary Statements-Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face,hands and any exposed skin thoroughly after handling

Do not eat,drink or smoke when using this product

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements-Response

If expose or concerned:Get medical advice/attention

Specific treatment(see supplemental first aid instructions on this label)

Eyes

IF IN EYES:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

Inhalation

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Ingestion: If swallowed:Call a POISON CENTER or doctor/physician. If you feel unwell,Rinse mouth. Don't induce vomiting

Precautionary Statements-Storage: Store locked up

Precautionary Statements-Disposal: Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified(HNOC): Not applicable

(c)Other information

Very toxic to aquatic life with long lasting effects;

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

(d) Interactions with Other Chemicals

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

Use of alcoholic beverages may enhance toxic effects.

3. Composition/information on ingredients

(a) Mixtures information

Chemical name	CAS No.	Concentration%
Nickel	7440-02-0	24.3
Nickel hydroxide	12054-48-7	22.7
Iron	7439-89-6	37.3
Cobalt	7440-48-4	0.8
Sodium hydroxide	1310-73-2	0.5
Potassium hydroxide	1310-58-3	2.5
Cobalt hydroxide	21041-93-0	1.1
Manganese	7439-96-5	1.4
Aluminum	7429-90-5	0.4
Water	7732-18-5	5.6
Nylon 6	25038-54-4	3.4

4. First aid measures

(a) Description of first aid measures

General Advice	First aid is upon rupture of sealed battery. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required
Eye contact	Rinse immediately with plenty of water,also under the eyelids,for at least 15 minutes.Keep eye wide open while rinsing.Do not rub affected area.Remove contact lenses,if present and easy to do.Continue rinsing.Seek immediate medical attention/advice.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes.May cause skin reaction. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur. May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. May produce an allergic reaction. If an allergic reaction occurs, stop use and seek medical help right away. Call a physician or poison control center immediately.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wear personal protective clothing(see section 8). Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

(b) Most important symptoms / effects, acute and delayed

Most important symptoms and effects: Burning sensation. Itching. Rashes, Hives. May cause allergy or asthma

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

symptoms or breathing difficulties if inhaled. Coughing and/or wheezing

(c) Indication of any immediate medical attention and special treatment needed

Notes to Physician: May cause sensitization of susceptible persons. Treat symptomatically.

5. Fire fighting measures

(a) Extinguishing media

Suitable extinguishing media: Use foam, dry powder or dry sand, CO₂ as appropriate.

Unsuitable extinguishing media: No information available.

(b) Special hazards arising from the chemical

Under fire conditions, batteries may burst and release hazardous decomposition products when exposed to a fire situation. This could result in the release of flammable or corrosive materials.

Hazardous combustion products: CO, CO₂, Metal oxides, Irritating fumes

(c) Special protective equipment and precautions for fire-fighters

Firefighters must wear fire resistant protective equipment and appropriate breathing apparatus. The staff must equip with filter mask (full mask) or isolated breathing apparatus. The staff must wear the clothes which can defense the fire and the toxic gas. Put out the fire in the upwind direction. Remove the container to the open space as soon as possible. Spray water on the containers in the fireplace to keep them cool until finish extinguishment.

6. Accidental release measures

(a) Personal precautions, protective equipment and emergency procedures

Personal Precautions: Attention Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information: Refer to protective measures listed in Sections 7 and 8.

(b) Environmental Precautions

Environmental Precautions: Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

if battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic lined container. Dispose off according to the local law and rules. Avoid leached substances to get into the earth, canalization or waters.

(c) Methods and materials for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up : Pick up and transfer to properly labeled containers.

7. Handling and storage

(a) Precautions for safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes of clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

before reuse. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

(b) Condition for safe storage, including any incompatibilities

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

Incompatible Products: Strong acids. Strong oxidizing agents. Strong bases.

8. Exposure controls / personal protection

(a) Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Nickel hydroxide 12054-48-7	TWA:0.2mg/m3 Ni inhalable fraction	TWA:1mg/m3 Ni (vacated)TWA:1mg/m3 Ni	IDLH:10mg/m3 Ni TWA:0.015mg/m3 Except Nickel Carbonyl Ni
Cobalt 7440-48-4	TWA:0.02mg/m3	TWA:0.1mg/m3 Dust and fume (vacated)TWA:0.5mg/m3 DustAnd fume	IDLH:20mg/m3 Dust and fume TWA:0.5mg/m3 Dust And fume
Sodium hydroxide 1310-73-2	Ceiling:2mg/m3	TWA:2mg/m3 (vacated) Ceiling:2mg/m3	IDLH:10mg/m3 Ceiling:2mg/m3
Nickel 7440-02-0	TWA:1.5mg/m3	TWA:1mg/m3 (vacated)TWA:1mg/m3	IDLH:10mg/m3 TWA:0.015mg/m3
Potassium hydroxide 21041-93-0	Ceiling:2mg/m3	(vacated) Ceiling:2mg/m3	Ceiling:2mg/m3
Cobalt hydroxide 21041-93-0	TWA:0.02mg/m3 Co		
Manganese 7439-96-5	TWA:0.02mg/m3 respirable fraction TWA:0.1mg/m3 inhalable fraction TWA:0.02mg/m Mn TWA:0.1mg/m3 Mn	(vacated) Ceiling:1mg/m3 Fume (vacated) Ceiling:5mg/m3 Ceiling:5mg/m3 Fume Ceiling:5mg/m3 Mn	IDLH:500mg/m3 TWA:1mg/m3 fume STEL:3mg/m3

ACGIH TLV:American Conference of Governmental Industrial Hygienists-Threshold Limit Value

LSHA PEL:Occupational Safety and Health Administration-Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines: Vacated limits revoked by the Court of Appeals decision in AEL-CIO v.OSHA, 965 F.2d 962(11th Cir., 1992) See section 15 for national exposure control parameters

(b) Appropriate engineering controls

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data: 11/30/2017

Engineering Measures

Showers

Eyewash stations

Ventilation systems

(c) Individual protection measures, such as Personal protective equipment

Eye / face protection	Face protection shield
Skin and body protection	Wear protective gloves and protective clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product

9. Physical and chemical properties

Appearance	Solid
Odor	Odorless
Odor threshold	Not available
pH	Not available
Melting point / freezing point	Not available
Initial boiling point and boiling range	Not available
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability	Not flammable
Upper / lower flammability or explosive limits	Not available
Vapor pressure	Not applicable
Vapor density	Not available
Relative density	Not available
Solubility (ies)	Insoluble
Partition coefficient: n- octanol / water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

10.Stability and reactivity

(a) Reactivity

No data available

(b) Chemical stability

Stable under recommended storage conditions.

(c) Possibility of hazardous reactions

None under normal processing.

(d) Conditions to avoid

None known based on information supplied.

(e) Incompatible materials

Strong acids ,Strong oxidizing agents, Strong bases.

(f) Hazardous decomposition products

Carbon oxides.

11.Toxicological information

(a) Information on the likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture.
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause sensitization of susceptible persons.(based on components).
Ingestion	Specific test data for the substance of mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed. (based on components). May cause additional affects as listed under "Inhalation".
Skin contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Irritating to skin. Prolonged contact may cause redness and irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Eye contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on components. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel hydroxide 12054-48-7			=1200 mg/m ³ (Rat) 4h
Nickel 7440-02-0	>9000 mg/kg (Rat)		
Iron 7439-89-6	=984 mg/kg (Rat)		

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

Cobalt 7440-48-4	=6170 mg/kg (Rat)		>10mg/L (Rat) 1h
Sodium hydroxide 1310-73-2		=1350 mg/kg (Rabbit)	
Potassium hydroxide 1310-58-3	=214 mg/kg (Rat)		

(b) Information on toxicological characteristics

Symptoms : Erythema (skin redness). May cause redness and tearing of the eyes. May cause blindness, Burning, Itching, Rashes, Hives, Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/or wheezing.

(c) Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization: May cause sensitization of susceptible persons. May cause sensitization by skin contact, May cause sensitization by inhalation.

Mutagenic Effects: No information available.

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Nickel hydroxide 12054-48-7	A1	Group 1	Known	×
Nickel 7440-02-0		Group 2B	Reasonably Anticipated	×
Cobalt 7440-48-4	A3	Group 2A Group 2B		×
Cobalt hydroxide 21041-93-0	A3	Group 2B		×

ADGIIH (American Conference of Governmental Industrial Hygienists)

A1-Known Human Carcinogen

A3-Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1-Carcinogenic to Humans

Group 2A-Probably Carcinogenic to Humans

Group 2B-Possibly Carcinogenic to Humans

Group 3-Not Classifiable as to Carcinogenicity in Humans

NTP(National Toxicology Program)

Known-known Carcinogen

Reasonably Anticipated-Reasonably Anticipated to a Human Carcinogen

OSHA(Occupational Safety and Health Administration of the US Department of Labor)

X-Present

Reproductive Toxicity: No information available

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

STOT - single exposure: Causes damage to organs through prolonged or repeated exposure. Based on classification criteria from the 2012 OSHA Hazard Communication Standard(29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure.(STOTRE).

Chronic Toxicity: No known effect based on information supplied. Prolonged exposure may cause chronic effects. Repeated contact may cause allergic reactions in very susceptible persons. Contains a known or suspected mutagen. Possible risk of irreversible effects. Contains a known or suspected carcinogen. Contains a known or suspected reproductive toxin. Avoid repeated exposure. May cause adverse effects on the bone marrow and blood-forming system.

Target Organ Effects: Respiratory system, Eyes, Skin. May affect the genetic material in germ cells (sperm and eggs). Gastrointestinal tract (GI). Reproductive System, Blood, Central Nervous System (CNS), kidney, Lungs, Nasal cavities.

Aspiration Hazard: No information available.

12.Ecological information

(a) Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Nickel 7440-02-0	72h EC50:=0.18mg/L (Pseudokirchneriella subcapitata) 96h EC50:174-0.311mg/L (Pseudokirchneriella subcapitata)	96h LC50:>100mg/L (Brachydanio rerio)96h LC50:=1.3mg/L (Cyprinus carpio)96h LC50:=10.4mg/L (Cyprinus carpio)		48h EC50:>100mg/L 48h EC50:=1mg/L
Iron 7439-89-6				
Cobalt 7440-48-4				
Sodium hydroxide 1310-73-2				
Potassium hydroxide 1310-58-3				

(b) Persistence and Degradability

No information available.

(c) Bioaccumulative potential

No information available.

(d) Other adverse effects

No information available.

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

13. Disposal considerations

Safe handling and methods of disposal

(a) Waste treatment methods

Disposal methods: This material, as supplied, is not a hazardous waste according to Federal regulations(40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional ,or local regulations for additional requirements.

Contaminated Packaging: Dispose of contents/containers in accordance with local regulations

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - d Series Wastes	RCRA -U Series Wastes
Nickel 7440-02-0	(hazardous constituent - no waste number)	Included in waste streams: F006, F039		
Nickel hydroxide 12054-48-7	(hazardous constituent - no waste number)			

California Hazardous Waste 141

Codes

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Cobalt 7440-48-4	Toxic powder powder Ignitable
Nickel 7440-02-0	Toxic powder powder Ignitable
Sodium hydroxide 1310-73-2	Toxic Corrosive
Potassium hydroxide 1310-58-3	Toxic Corrosive
Cobalt hydroxide 21041-93-0	Toxic
Manganese 7349-96-5	Ignitable powder

14. Transport information

DOT	NOT REGULATED
Proper Shipping Name	NOT REGULATED
Hazard Class	N/A
TDG	Not regulated

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

MEX	Not regulated
ICAO	Not regulated
IATA	Not regulated
Proper Shipping Name	NOT REGULATED
Hazard Class	N/A
IMDG/IMO	Not regulated
Hazard Class	N/A
Marine Pollutant	Product is a marine pollutant according to the criteria set by IMDG/IMO
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

15.Regulatory information

(a) Safety, health and environmental regulations specific for the product in question

CAS No.	USA TSCA	EU EINECS	Japan ENCS	Korea ECL	China IECSC	Canada DSL
7440-02-0	Listed	Listed	Listed	Listed	Listed	Listed
12054-48-7	Listed	Listed	Listed	Listed	Listed	Listed
7439-89-6	Listed	Not listed	Listed	Listed	Listed	Listed
7440-48-4	Listed	Not listed	Listed	Listed	Listed	Not listed
1310-73-2	Listed	Listed	Listed	Listed	Listed	Listed
1310-58-3	Listed	Listed	Listed	Listed	Listed	Not listed
21041-93-0	Listed	Not listed	Listed	Listed	Listed	Not listed
7439-96-5	Listed	Not listed	Listed	Listed	Listed	Listed
7429-90-5	Listed	Listed	Not listed	Listed	Listed	Listed
7732-18-5	Listed	Not listed	Listed	Listed	Not listed	Not listed
25038-54-4	Listed	Listed	Listed	Listed	Listed	Not listed

16.Other information including date of preparation or last revision

(a) Preparation and revision information

Date of previous revision: Not applicable. Date of this revision: 16/08/2016

Revision summary: The first New SDS

(b) Abbreviations and acronyms

TSCA	Toxic Substances Control Act, The American chemical inventory
DSL	Domestic Substances List

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version:1.0/EN

Revision data:11/30/2017

Product name:Nickel metal Battery

Printing data:11/30/2017

EINECS	European Inventory of Existing Commercial Chemical Substances
ENCS	Japanese Existing and New Chemical Substances
ECL	Existing Chemicals List, the Korean chemical inventory
IECSC	Inventory of existing chemical substances in China

(c) Disclaimer

Because all of our batteries are defined as “articles”, they are exempted from the requirements of the Hazard Communication Standard. The information in this SDS is provided all the relevant data fully and truly. However, the information is provided without any warranty on their absolute extensiveness and accuracy. This SDS was prepared to provide safety preventive measures for the users who have got professional training. The personal user who obtained this SDS should make independent judgment for the applicability of this SDS under special conditions. In these special cause, we do not assume responsibility for the damage.

-----End of the SDS-----